


# MANHATTAN 60

**STYLE:** FLYBRIDGE MOTORYACHT


**ACCOMMODATION:** UP TO 6 GUESTS AND 2 CREW MEMBERS

**PERFORMANCE:** UP TO 32 KNOTS


A POPULAR MID-RANGE OPTION, THE MANHATTAN 60 PROVIDES PACE AND SPACE IN A CRAFT THAT FAMILY AND FRIENDS CAN OPERATE COMFORTABLY ON THEIR OWN. BUT IF A CREW IS REQUIRED A NEAT AFT CABIN WITH FULL FACILITIES FOR TWO CAN BE SPECIFIED. ALTERNATIVELY THIS SPACE CAN BE USED AS A PRIVATE CABIN TO BOOST GUEST SLEEPING ACCOMMODATION TO EIGHT OR AS WORKSHOP CUM LAUNDRY AND STOREROOM, ADDING TO THE EXTENDED CRUISING POTENTIAL OF THIS CAPABLE FLYBRIDGE MODEL. SOCIABILITY IS KEY IN THE MANHATTAN 60'S DESIGN, WITH FLOWING SEATING AREAS BLENDING SALOON AND WHEELHOUSE, AND THE THREE MAIN CABINS BELOW SHARE THE INTRINSIC QUALITIES OF FITTING AND FINISH.



Flybridge



Main deck



Lower deck – optional crew cabin

## PRINCIPAL CHARACTERISTICS

<b>Length overall – (incl. pulpit)</b>	19.60m	64'4"
<b>Length hull – (incl. platform)</b>	19.10m	62'8"
<b>Length waterline – (@ half load)</b>	14.67m	48'2"
<b>Beam – (maximum)</b>	5.00m	16'5"
<b>Draft – (incl. props)</b>	1.49m	4'11"
<b>Displacement – (@ half load)</b>	31000kg	101706lb
<b>Fuel capacity</b>	3000 litres	660 GB gal. 793 US gal.
<b>Fresh-water capacity</b>	700 litres	154 GB gal. 185 US gal.
<b>Propulsion</b>	Twin FP props in tunnels	
<b>Engine options</b>	up to 1800 PS (total)	

<b>Fuel options</b>	Diesel
<b>Generators</b>	Standard 9kW @ 50Hz (Euro) 15kW @ 60Hz (US) Upgrade 13kW @ 50Hz (Euro)
<b>Maximum speed</b>	up to 32 knots*
<b>Cruising speed</b>	up to 23 knots*
<b>Range</b>	up to 270 nautical miles*

All principal characteristics and specifications are provisional.



# MANHATTAN 60

## PRINCIPAL FEATURES

Electric winch with bow roller, flybridge and cockpit controls  
 Hot and cold swimming shower  
 Sliding cockpit door to aft cockpit  
 Flatscreen televisions in all cabins  
 Radio/CD player  
 DVD surround system in saloon  
 Electric refrigerator  
 Electric freezer  
 Ceramic hob  
 Microwave/grill/oven  
 Radar/chartplotter with GPS  
 Autopilot  
 Bow thruster  
 Electric speedlog  
 Depth sounder  
 VHF radio dual station  
 Trim tabs  
 Hydraulic steering  
 Hot and cold water system  
 Automatic fire extinguishers  
 Automatic bilge pumps  
 Generator  
 AC shorepower/battery charger  
 Teak bathing platform and steps  
 Teak cockpit floor  
 Fresh-water marina connection  
 Vacuum toilets with holding tank  
 Remote spotlight  
 Demisters  
 Side opening helm door  
 Antifouling  
 Hydraulic lifting platform

All items included in standard specification.

**US specification includes:**  
 Air-conditioning  
 Upgraded generator  
 US Coast Guard build regulations  
 US specification appliances

1. Master stateroom
2. Main deck saloon
3. The Manhattan 60
4. Main saloon looking forward to drive station
5. Cockpit seating
6. Galley
7. The flybridge
8. The Manhattan 60 at anchor

## STANDARD SPECIFICATIONS

### 1 Construction

Hand-laid GRP  
 Gel coat including stripes  
 Isophthalic polyester skin coat with powderbound mat  
 Stitched multi-axial reinforced single skin bottom  
 Balsa cored hull topsides and deck  
 Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors  
 Antifouling

### 2 Deck

Fittings all in stainless steel  
 8 x deck cleats in stainless steel  
 Delta anchor and 45m chain (galvanised)  
 Electric winch and capstan 24v with deck and cockpit controls 24v  
 Stemhead roller and anchor stop  
 Self draining chain locker-fender stowage  
 Pulpit and cockpit rails in stainless steel  
 Stainless steel fendering with rubber insert  
 IMCO navigation lights  
 2 x Pantograph wipers 24v, windscreen washers  
 Ensign staff and socket  
 6 x fenders and 4 warps  
 Remote spotlight 24v  
 Curved safety glass windscreen

### 3 Bathing platform

Fresh-water marina connection  
 Dockside AC shore power connection  
 Hot and cold swimming shower  
 Teak-laid bathing platform  
 Foldaway stainless steel swimming ladder  
 Hydraulic lifting platform

### 4 Aft cockpit

Self-draining  
 Moulded staircase to flybridge  
 Transom storage locker  
 Upholstered seating  
 Transom safety door  
 Engine room access hatch  
 Overhead lighting 24v  
 Low-level courtesy lighting 24v  
 2 external speakers  
 Teak-laid cockpit and steps  
 Boat hook  
 Hand-held fire extinguisher

### 5 Flybridge helm position

Self-draining  
 Deflecting screen (acrylic)  
 Hydraulic steering  
 Wood rimmed steering wheel  
 Duplicate engine controls and instrumentation  
 Compass  
 Trim tab control  
 Echo sounder and speedlog repeaters  
 Bow thruster control  
 Autopilot and GPS navigator controls  
 Instrument cover  
 Upholstered seating  
 Storage below seats  
 Cockpit table  
 Sunbathing area forward  
 Stainless steel guard rails and grab rails  
 Glass holders  
 Radio/CD remote control  
 2 external speakers  
 Low-level courtesy lights

### 6 Saloon

Large dining area with folding dining table  
 Lower saloon seating  
 Stainless steel sliding cockpit door to aft deck  
 Drinks cabinet  
 Flatscreen television  
 DVD hi-fi surround system  
 CD/radio for external speakers  
 Halogen overhead lighting 24v  
 2 x double AC socket  
 Main switch panel (AC/DC) with circuit breaker protection and generator controls  
 Choice of lacquered interior finishes and veneer  
 Scatter cushions  
 Fitted carpet

### 7 Galley

Sink and drainer  
 Electric refrigerator  
 Electric freezer  
 Ceramic hob  
 Hob extractor fan  
 Microwave/combination oven  
 Rubbish bin  
 6 place crockery set  
 6 place cutlery set  
 Cupboard and drawer storage  
 2 x double AC socket  
 Hand-held fire extinguisher  
 First aid kit

### 8 Main helm console

Upholstered double helm seat  
 Console with burr walnut type fascia  
 Hydraulic steering  
 Wood rimmed steering wheel  
 Radar/plotter  
 Autopilot  
 VHF radio dual station  
 Full analogue engine instrumentation  
 Electric speedlog  
 Depth sounder  
 Rudder indicator  
 Compass  
 Bow thruster control  
 Horn  
 Windscreen wipers and washers  
 Trim tab controls  
 Cigar lighter  
 Opening helm side door  
 Glass holders  
 Hand-held fire extinguisher

### 9 Master aft cabin

Double berth  
 2 x reading lights 24v  
 Outboard shelving  
 Bedside cupboards  
 Hanging wardrobe  
 Dressing table with stool  
 Settee  
 Halogen overhead lighting 24v  
 2 x large opening portholes and 4 x fixed with curtains  
 2 x double AC socket  
 Flatscreen television  
 Fitted carpet



4

5

6

#### 10 Master en suite shower room

Vacuum toilet  
Avonite counter top  
Washbasin  
Taps and accessories  
Separate shower compartment  
Extractor fan  
Mirrored vanity unit  
Shelved cupboard  
Toothbrush and glass holder  
Towel ring and towels  
Halogen overhead light 24v  
Opening porthole with mosquito screen and blind  
Shaver socket 240/110v

#### 11 VIP forward stateroom

Double berth  
Drawers and storage beneath  
Wardrobe with mirrored doors  
Halogen overhead lights 24v  
2 x reading lights 24v  
2 x opening portholes with mosquito screens and curtains  
Deck hatch with screen  
Double 240v AC socket  
Flatscreen television  
Door to en suite toilet/shower  
Fitted carpet

#### 12 Forward en suite shower room and toilet

Vacuum toilet  
Avonite counter top  
Shower taps and accessories  
Washbasin  
Separate shower compartment  
Extractor fan  
Shaver socket 240/110v  
Mirrored cupboard  
Towel rails  
Bath and hand towels  
Halogen overhead lights  
Opening porthole with Venetian blind  
Door to stateroom

#### 13 Starboard guest cabin

2 x single berths  
Bedside table with drawer  
2 x reading lights  
Under-berth stowage  
Full hanging wardrobe  
Halogen overhead lights  
Opening porthole with mosquito screen and curtain  
Double AC socket  
Door to en suite shower room  
Flatscreen television  
Fitted carpet

#### 14 Starboard guest shower and toilet/day head

Vacuum toilet  
Avonite counter top  
Shower taps and accessories  
Washbasin  
Separate shower compartment  
Extractor fan  
Shaver socket 240/110v  
Mirrored cupboard  
Towel rail  
Bath and hand towels  
Halogen overhead lights  
Opening porthole with Venetian blind

#### 15 Engine compartment and ancillaries

Twin engines with close coupled V-drive gearboxes  
2 x separate fuel filters water separators  
1 x fuel tank with electric sender unit  
Fresh-water engine top-up hose  
Sound insulation throughout engine room  
Automatic fire extinguisher  
2 x automatic bilge pumps  
1 x automatic flood pump  
Bilge water high-level alarm  
Extractor fans 24v  
Manual bilge pump

#### 16 Electrical system

Generator with underwater silent exhaust  
AC dockside connection  
Main DC and AC electrical circuits protected by re-settable circuit breakers  
Systems monitoring panel  
Galvanic isolator  
6 x batteries for engine starting 24v circuit  
4 x batteries for domestic power 24v circuit  
2 x batteries for generator starting 12v circuit  
Battery coupling system  
Battery switches controlled from locker in cockpit  
Alternator split charging system  
Battery charger for 24v circuits  
Battery charger for 12v circuits  
Water heater  
AC outlet sockets throughout the boat  
24v hand light and cable

#### 17 Underwater gear

Direct shaft drive through half tunnels  
4-bladed NAB bronze propellers  
Bronze P-brackets  
2 x stainless steel shafts  
Dripless shaft logs  
High-performance bronze rudders and struts  
Seawater strainers – 2 x main engines/1 x generators  
Seacocks on all underwater fittings  
Bow thruster 24v  
Stainless steel trimtabs (hydraulic)  
Full cathodic bonding system to zinc anodes

#### 18 Systems

Aluminium fresh-water tank  
24v fresh-water pressure system  
Hot water tank  
24v vacuum toilet system

#### 19 Miscellaneous

Toolkit  
Boat hook  
4 x mooring ropes  
6 x fenders  
Spare bulbs and fuses  
2 x towel sets

#### 20 Optional extras

Bimini top  
Twin berth crew cabin aft with separate toilet  
Teak flybridge decking  
Hydraulic passerelle  
Air-conditioning  
Upgraded generator  
Washer/Dryer

#### US specification includes:

Air-conditioning  
Upgraded generator  
US Coast Guard build regulations  
US specification appliances



\*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory.

Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.



## Awards

Sunseeker's success over the years is clearly underlined by the following list of national and international awards and achievements.

2008	UK Motor Boat of the Year Awards 2008	Manhattan 60	2001	Best Power Interior Award	105 Yacht, The Superyacht Society
2007	European Powerboat of the Year	Superhawk 43	2001	President's Award	Southern California Marine Association
2007	Asia Pacific Boating Awards	90 Yacht, Best of the Best	2000	Queen's Award for Enterprise	Continuous innovation and development
2007	Modern Boating Magazine 2007	Portofino 47, Imported Powerboat of the Year	2000	The Times Exporter of the Year	Times Export Awards
2007	Australian Marine Industries Federation Awards	Predator 62, Imported Powerboat of the Year	2000	Robb Report Award	Best of the Best, Boating and Sailing
2007	Nominated by The Superyacht Society	37 Metre Yacht 'The Snapper'	1999	Robb Report Award	Best of the Best, Boating and Sailing
2007	Queen's Award for Enterprise	International Trade	1999	Motorboat of the Year	Predator 75, BT British Nautical Awards
2006	Nominated for three Superyacht Awards	Predator 108 'SHIVER'	1998	Superyacht Design Award	Manhattan 74, Superyacht Design Awards
2005	Australian Marine Industries Federation Awards	75 Yacht, Non-Trailable Boat Award	1998	Editor in Chief Awards	Yachts Magazine
2005	Australian Marine Industries Federation Awards	Portofino 46, Commendation	1997	Lifetime Achievement Award	Robert Braithwaite MBE, RYA Awards
2005	Modern Boating, Power Boat of the Year Awards	Predator 68, Imported Powerboat of the Year	1996	Motorcruiser of the Year Award	RYA British Nautical Awards
2005	Boats.com Marine Industry Web Awards	Manufacturers Category for www.sunseeker.com	1996	Exporter of the Year Award	DCCI Export Awards
2004	Sydney Boat Show 2004	Best Overall Display	1995	Boat Builder of the Year Award	RYA/BMIF British Nautical Awards
2004	Sydney Boat Show 2004	Best Marina Display	1994	Queen's Award for Export Achievement	Queen's Awards for Industry
2003	Australian Marine Awards	Manhattan 56, Award for Excellence	1992	Best in the World Award	Renegade 60, Boating Magazine
2003	Australian Marine Awards	Predator 68, Best Imported Non-Trailable Yacht	1990	Exporter of the Year	SW International Business Awards
2002	Entrepreneur of the Year Award	Robert Braithwaite MBE	1989	Queen's Award for Export Achievement	Queen's Awards for Industry
2001	Best Power Design Award	105 Yacht, The Superyacht Society	1987	Queen's Award for Export Achievement	Queen's Awards for Industry

### Naval architects

Don Shead/Sunseeker Design

### Exterior styling

Sunseeker Design

### Interior design

Sunseeker Design

### Builder

Sunseeker International

\*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.

Designed, written and produced by Marketing Matters Limited. Printed in England. August 2008. ©Sunseeker International.



Sunseeker International Limited has CE Approval which is compulsory for all boats with a LOA of 24m and below when sold in the EU.